



NEILSON RESEARCH CORPORATION

Environmental Testing Laboratory

8/3/2016

Rick Rose
Medford School District
815 S Oakdale Ave
Medford, OR 97501

TEL: (541) 842-1138

FAX 541-842-1160

RE: 16-00 MSDEC Gym Lead Study

Order No.: 1607A24

Dear Rick Rose:

Neilson Research Corporation received 10 sample(s) on 7/22/2016 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Alec C Smith
Project Manager

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

CLIENT: Medford School District
Project: 16-00 MSDEC Gym Lead Study
Lab Order: 1607A24

Date: 03-Aug-16

CASE NARRATIVE

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-01A**
Collection Date: **7/22/2016 2:10:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22149
Collectors Name: Larry Anderson
Sample Location: Lobby DF Upper
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00150		0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-02A**
Collection Date: **7/22/2016 2:11:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22191
Collectors Name: Larry Anderson
Sample Location: Lobby DF Lower
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.000983		0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-03A**
Collection Date: **7/22/2016 2:14:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #19383
Collectors Name: Larry Anderson
Sample Location: Lobby Concession Stand Sink
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0311	*CF	0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-04A**
Collection Date: **7/22/2016 2:17:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22129
Collectors Name: Larry Anderson
Sample Location: Main Gym SE DF
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.000535		0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-05A**
Collection Date: **7/22/2016 2:19:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22155
Collectors Name: Larry Anderson
Sample Location: Girls Locker Rm DF
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0158	CF	0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-06A**
Collection Date: **7/22/2016 2:21:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22153
Collectors Name: Larry Anderson
Sample Location: Girls Locker Rm Ice Machine
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00131		0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-07A**
Collection Date: **7/22/2016 2:22:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #19282
Collectors Name: Larry Anderson
Sample Location: Boys Locker Rm DF
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0166	CF	0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-08A**
Collection Date: **7/22/2016 2:28:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22152
Collectors Name: Larry Anderson
Sample Location: Main Gym NW DF
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00188		0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-09A**
Collection Date: **7/22/2016 2:31:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22154
Collectors Name: Larry Anderson
Sample Location: Upper Gym W DF
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.000631		0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1607A24**
NRC Sample ID: **1607A24-10A**
Collection Date: **7/22/2016 3:06:00 PM**
Received Date: **7/22/2016 4:09:00 PM**
Reported Date: **8/3/2016 1:40:53 PM**

Sample Information:

16-00 MSDEC Gym Lead Study

Client Sample ID: Bottle #22164
Collectors Name: Larry Anderson
Sample Location: Lobby Concess Std Pepsi Mach
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0411	*CF	0.000103	mg/L	0.020 AL	7/29/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation
DATA FLAGS

B	Analyte detected in the associated method blank.
BA	BOD Alternative Calculation: The initial results performed by Standard Methods did not fall within parameters of the Standard Methods calculation. An alternate approved calculation was performed using the HACH method and the value reported is an estimated concentration.
C	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
C1	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
CF	Results confirmed by re-analysis.
CU	Cleanup performed as specified by method.
D1	The diesel elution pattern for the sample is not typical.
D2	The sample appears to be a heavier hydrocarbon range than diesel.
D3	The sample appears to be a lighter hydrocarbon range than diesel.
D4	Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
D5	Detected hydrocarbons in the diesel range appear to be weathered diesel.
E	Estimated value.
ER	Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
FC	Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
G1	The gasoline elution pattern for the sample is not typical.
G2	The sample appears to be a heavier hydrocarbon range than gasoline.
G3	The sample appears to be a lighter hydrocarbon range than gasoline.
G4	Detected hydrocarbons in the gasoline range appear to be weathered gasoline.
HP	Sample re-analysis performed outside of method specified holding time.
HR	Sample received outside of method specified holding time.
HS	Sample analyzed for volatile organics contained headspace.
HT	At the client's request, the sample was analyzed outside of method specified holding time.
H	Analysis performed outside of method specified holding time.
J	Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
MI	Surrogate or Matrix Spike recovery is out of control limits due to matrix interference. Sample results may be biased.
N	See Case Narrative on page 2 of report.
Q	Closing continuing calibration verification (CCV) or laboratory control sample (LCS) exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
R	Relative percent difference (RPD) is outside of the accepted recovery limits.
R1	Relative percent difference (RPD) is outside of the accepted recovery limits. However, analyses are not controlled on RPD values for sample concentrations that are less than the reporting limit.
R3	The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
R4	Duplicate analysis failed due to result being at or near method reporting limit.
S	Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
S1	Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
SC	Sub-contracted to another laboratory for analysis.
SP	Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
T	Toxicity Characteristic Leaching Procedure – Sample submitted contained < 0.5% solids. If the waste contains <0.5% dry solids, the liquid portion of the waste, after filtration, is defined as the TCLP extract.
#	Value exceeds regulatory level for TCLP contaminant.
X1	The motor oil elution pattern for the sample is not typical.
X2	The sample appears to be a heavier hydrocarbon range than motor oil.
X3	The sample appears to be a lighter hydrocarbon range than motor oil.
*	Value exceeds Maximum Contaminant Level or is outside the acceptable range.

NRC SOP QA-1104/AD-3100
Revision 3
Effective Date: 6/3/16

CLIENT: Medford School District
 Work Order: 1607A24
 Project: 16-00 MSDEC Gym Lead Study

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID	MB-35973	SampType:	MBLK	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/26/2016	RunNo:	88839					
Client ID:	ZZZZZ	Batch ID:	35973	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/29/2016	SeqNo:	1334704					
Analyte		Result		MRL		SPK value		SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000103

Sample ID	MB-35974	SampType:	MBLK	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/26/2016	RunNo:	88839					
Client ID:	ZZZZZ	Batch ID:	35974	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/29/2016	SeqNo:	1334732					
Analyte		Result		MRL		SPK value		SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000103

Sample ID	LCS-35973	SampType:	LCS	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/26/2016	RunNo:	88839					
Client ID:	ZZZZZ	Batch ID:	35973	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/29/2016	SeqNo:	1334705					
Analyte		Result		MRL		SPK value		SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09700 0.000104 0.1 0 97.0 85 115

Sample ID	LCS-35974	SampType:	LCS	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/26/2016	RunNo:	88839					
Client ID:	ZZZZZ	Batch ID:	35974	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/29/2016	SeqNo:	1334733					
Analyte		Result		MRL		SPK value		SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09630 0.000104 0.1 0 96.3 85 115

Sample ID	1607A24-05AMS	SampType:	MS	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/26/2016	RunNo:	88839					
Client ID:	Bottle #22155	Batch ID:	35973	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/29/2016	SeqNo:	1334728					
Analyte		Result		MRL		SPK value		SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1101 0.000104 0.1 0.01581 94.3 70 130

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits

CLIENT: Medford School District
Work Order: 1607A24
Project: 16-00 MSDEC Gym Lead Study

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID 1607A34-01AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/26/2016	RunNo: 88839						
Client ID: ZZZZZ	Batch ID: 35974	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/29/2016	SeqNo: 1334753						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1074	0.000104	0.1	0.01313	94.3	70	130				
------	--------	----------	-----	---------	------	----	-----	--	--	--	--

Sample ID 1607A24-05AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/26/2016	RunNo: 88839						
Client ID: Bottle #22155	Batch ID: 35973	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/29/2016	SeqNo: 1334729						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1115	0.000104	0.1	0.01581	95.7	70	130	0.1101	1.22	20	
------	--------	----------	-----	---------	------	----	-----	--------	------	----	--

Sample ID 1607A34-01AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/26/2016	RunNo: 88839						
Client ID: ZZZZZ	Batch ID: 35974	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/29/2016	SeqNo: 1334754						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1064	0.000104	0.1	0.01313	93.3	70	130	0.1074	0.973	20	
------	--------	----------	-----	---------	------	----	-----	--------	-------	----	--

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits



Environmental Testing Laboratory
 245 South Grape Street * Medford, OR 97501
 (541) 770-5678 FAX (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: Medford School District 549C
 Address: 815 S. Oakdale,
 Medford, Or. 97501
 Email: rick.rose@medford.k12.or.us
 Phone: 541.842.1138 Fax: 541.842.1160
 Collected By (Print): Larry Anderson
 Collected By (Sign): *[Signature]*
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B
Required Project Information

Project Name: 2016 Lead testing
 Project Number: 16-00 \ MSDECC Gym
 Report To: rick.rose@medford.k12.or.us
 Copy To: ron.havnica@medford.k12.or.us

Section C
Invoice Information

Attention: Accounting
 Company Name: Medford School
 Address: 815 S. Oakdale
 Medford, Or. 97501
 P.O. # P112894

Section D
Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other _____
 Authorized Yes No

Section E
Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested
Lobby DE Upper	22149		7-22-16	2:10 PM	1	
Lobby DF Lower	22141			2:11	1	
Lobby DE Gym	19383			2:14	1	
Lobby Entrance Steel Sink	22129			2:17	1	
In Main Gym SE Corner DE	22155			2:19	1	
Girls locker Rm DE	22153			2:21	1	
Girls locker Rm Treating Pn. Exc. Mat.	19282			2:22	1	
Boys locker Rm DE	22152			2:28	1	
Main Gym NW Corner DE	22154			2:31	1	
Upper Gym West DE	22154			3:06	1	
Lobby Entrance Steel Post: Mech	22164					

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe DT - Other

Section F
Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
Relinquished By: <i>[Signature]</i>	<i>[Signature]</i>	Larry Anderson	7-22-16	3:16 PM
Received By: <i>[Signature]</i>	<i>[Signature]</i>	John Jesson	7/22/16	4:38 PM
Relinquished By: <i>[Signature]</i>	<i>[Signature]</i>	John Jesson	7/22/16	4:38 PM
Received By: <i>[Signature]</i>	<i>[Signature]</i>	John Jesson	7/22/16	4:35

Section G
Lab Use Only

Temp: *Am b*
 4°C +/- 2°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: *10*
 pH Checked: _____
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No
 Received Via: UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____

NRC Workorder # *16071934*
 (Lab Use Only)
 Remarks/Field Data _____
 NRC Sample # _____
 (Lab Use Only)