



NEILSON RESEARCH CORPORATION

Environmental Testing Laboratory

8/9/2016

Rick Rose
Medford School District
815 S Oakdale Ave
Medford, OR 97501

TEL: (541) 842-1138

FAX 541-842-1160

RE: 16-99 Spiegelberg Lead Study

Order No.: 1608318

Dear Rick Rose:

Neilson Research Corporation received 4 sample(s) on 8/5/2016 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Alec C Smith
Project Manager

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

CLIENT: Medford School District
Project: 16-99 Spiegelberg Lead Study
Lab Order: 1608318

Date: 09-Aug-16

CASE NARRATIVE

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR0028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1608318**
NRC Sample ID: **1608318-01A**
Collection Date: **8/4/2016 6:14:00 PM**
Received Date: **8/5/2016 10:25:00 AM**
Reported Date: **8/9/2016 10:40:45 AM**

Sample Information:

16-99 Spiegelberg Lead Study

Client Sample ID: Bottle #23312
Collectors Name: John Jessen
Sample Location: VIP Conc Std SF
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0122		0.0001	mg/L	0.020 AL	8/6/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR0028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1608318**
NRC Sample ID: **1608318-02A**
Collection Date: **8/4/2016 6:18:00 PM**
Received Date: **8/5/2016 10:25:00 AM**
Reported Date: **8/9/2016 10:40:45 AM**

Sample Information:

16-99 Spiegelberg Lead Study

Client Sample ID: Bottle #23250
Collectors Name: John Jessen
Sample Location: VIP Conc Std Coffee Mach
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00704		0.0001	mg/L	0.020 AL	8/6/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1608318**
NRC Sample ID: **1608318-03A**
Collection Date: **8/4/2016 6:18:00 PM**
Received Date: **8/5/2016 10:25:00 AM**
Reported Date: **8/9/2016 10:40:45 AM**

Sample Information:

16-99 Spiegelberg Lead Study

Client Sample ID: Bottle #23329
Collectors Name: John Jessen
Sample Location: VIP Conc Std Cappucino Mach
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00809		0.0001	mg/L	0.020 AL	8/6/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR0028

Medford School District
815 S Oakdale Ave
Medford, OR 97501

Lab Order: **1608318**
NRC Sample ID: **1608318-04A**
Collection Date: **8/4/2016 6:18:00 PM**
Received Date: **8/5/2016 10:25:00 AM**
Reported Date: **8/9/2016 10:40:45 AM**

Sample Information:

16-99 Spiegelberg Lead Study

Client Sample ID: Bottle #23326
Collectors Name: John Jessen
Sample Location: VIP Conc Std Soda Mach
Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0576	*CF	0.0001	mg/L	0.020 AL	8/6/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation
DATA FLAGS

B	Analyte detected in the associated method blank.
BA	BOD Alternative Calculation: The initial results performed by Standard Methods did not fall within parameters of the Standard Methods calculation. An alternate approved calculation was performed using the HACH method and the value reported is an estimated concentration.
C	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
C1	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
CF	Results confirmed by re-analysis.
CU	Cleanup performed as specified by method.
D1	The diesel elution pattern for the sample is not typical.
D2	The sample appears to be a heavier hydrocarbon range than diesel.
D3	The sample appears to be a lighter hydrocarbon range than diesel.
D4	Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
D5	Detected hydrocarbons in the diesel range appear to be weathered diesel.
E	Estimated value.
ER	Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
FC	Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
G1	The gasoline elution pattern for the sample is not typical.
G2	The sample appears to be a heavier hydrocarbon range than gasoline.
G3	The sample appears to be a lighter hydrocarbon range than gasoline.
G4	Detected hydrocarbons in the gasoline range appear to be weathered gasoline.
HP	Sample re-analysis performed outside of method specified holding time.
HR	Sample received outside of method specified holding time.
HS	Sample analyzed for volatile organics contained headspace.
HT	At the client's request, the sample was analyzed outside of method specified holding time.
H	Analysis performed outside of method specified holding time.
J	Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
MI	Surrogate or Matrix Spike recovery is out of control limits due to matrix interference. Sample results may be biased.
N	See Case Narrative on page 2 of report.
Q	Closing continuing calibration verification (CCV) or laboratory control sample (LCS) exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
R	Relative percent difference (RPD) is outside of the accepted recovery limits.
R1	Relative percent difference (RPD) is outside of the accepted recovery limits. However, analyses are not controlled on RPD values for sample concentrations that are less than the reporting limit.
R3	The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
R4	Duplicate analysis failed due to result being at or near method reporting limit.
S	Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
S1	Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
SC	Sub-contracted to another laboratory for analysis.
SP	Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
T	Toxicity Characteristic Leaching Procedure – Sample submitted contained < 0.5% solids. If the waste contains <0.5% dry solids, the liquid portion of the waste, after filtration, is defined as the TCLP extract.
#	Value exceeds regulatory level for TCLP contaminant.
X1	The motor oil elution pattern for the sample is not typical.
X2	The sample appears to be a heavier hydrocarbon range than motor oil.
X3	The sample appears to be a lighter hydrocarbon range than motor oil.
*	Value exceeds Maximum Contaminant Level or is outside the acceptable range.

NRC SOP QA-1104/AD-3100
Revision 3
Effective Date: 6/3/16

CLIENT: Medford School District
Work Order: 1608318
Project: 16-99 Spiegelberg Lead Study

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID MB-36132	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 8/6/2016	RunNo: 89023						
Client ID: ZZZZZ	Batch ID: 36132	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 8/6/2016	SeqNo: 1339711						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000100

Sample ID LCS-36132	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 8/6/2016	RunNo: 89023						
Client ID: ZZZZZ	Batch ID: 36132	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 8/6/2016	SeqNo: 1339712						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09416 0.000100 0.1 0 94.2 85 115

Sample ID 1608318-04AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 8/6/2016	RunNo: 89023						
Client ID: Bottle #23326	Batch ID: 36132	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 8/6/2016	SeqNo: 1339723						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1584 0.000100 0.1 0.05763 101 70 130

Sample ID 1608318-04AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 8/6/2016	RunNo: 89023						
Client ID: Bottle #23326	Batch ID: 36132	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 8/6/2016	SeqNo: 1339724						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1594 0.000100 0.1 0.05763 102 70 130 0.1584 0.629 20

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Spiegelberg

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

RUSH
 Page of

Section A		Section B		Section C		Section D	
Required Client Information		Required Project Information		Invoice Information		Rush Status (Subject to Scheduling)	
Company: <i>Hed-Sol-Dist-SVPC</i>	Project Name: <i>2016 Lead Testing</i>	Attention:	Company Name:	Standard 10-14 Days	5 Business Days (50% surcharge)	3 Business Days (75% surcharge)	24 - 48 hours (100% surcharge)
Address: <i>855 9th St Helford OR 97501</i>	Project Number: <i>Spiegelberg</i>	Address:	Address:	<input type="checkbox"/> Other	<input checked="" type="checkbox"/> Other		
Email: <i>nik.vos@medford.kb.us</i>	Report To: <i>nik.vos@medford.kb.us</i>	P.O. #		Authorized <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Phone: <i>541-944-5613</i> Fax:	Copy To: <i>condemned@medford.kb.us</i>						
Collected By (Print): <i>John Jessen</i>							
Collected By (Sign): <i>[Signature]</i>							
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Mail Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No							
Fax Report <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							

Section E		Sample Information		Date		Time		No. of Containers		Analysis Requested		NRC Workorder #		Remarks/Field Data		NRC Sample #	
Sample ID	Compt/Grb	Matrix*	Collected	Collected													
<i>VP Cone Stand Stk Forest</i>			<i>8/4/16</i>	<i>6:14pm</i>								<i>1608378</i>					
<i>VP Cone Stand Coffee Mach</i>				<i>6:18pm</i>													
<i>VP Cone Stand Cappuccino Mach</i>				<i>6:18pm</i>													
<i>VP Cone Stand Soda Vending</i>				<i>6:18pm</i>													

Section F		Section G	
Relinquish/Receive		Lab Use Only	
Relinquished By: <i>[Signature]</i>	Sign: <i>John Jessen</i>	Temp. <i>10:25</i>	4°C +/- 2°C <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Received By:	Print: <i>John Jessen</i>	Date: <i>8/5/16</i>	Received on ice: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Relinquished By:		Time: <i>10:25</i>	Number of Batches Received: <i>4</i>
Received By:			pH Checked: <i>NA</i>
Relinquished By:			COC Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Received By Laboratory: <i>WLD Spitzer</i>			Field Blank Included: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash	Received Via: <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Other
<i>1608378</i>	Amount: <i>100.00</i>