

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2612021
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Rm 5
Radon Level : 2.1 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 11/05/2018 @ 06:39
Test Stop : 11/07/2018 @ 06:39
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 10:54

Canister ID# : 2612044
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Health Rm
Radon Level : 0.7 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 11/05/2018 @ 05:33
Test Stop : 11/07/2018 @ 05:36
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 11:27

Canister ID# : 2612045
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Cafeteria #2
Radon Level : 1.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 11/05/2018 @ 05:23
Test Stop : 11/07/2018 @ 05:32
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 10:54

Canister ID# : 2612063
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Rm 30
Radon Level : 14.3 pCi/L
Error for Measurement is: \pm 0.8 pCi/L
Test Start : 11/05/2018 @ 11:00
Test Stop : 11/07/2018 @ 11:15
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 10:54

This is a quality control test known as a spike. This canister has never been on the school site.

Canister ID# : 2612109
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Rm 3
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 11/05/2018 @ 06:27
Test Stop : 11/07/2018 @ 06:27
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 11:27

Canister ID# : 2612123
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Rm 26
Radon Level : 5.4 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/05/2018 @ 06:19
Test Stop : 11/07/2018 @ 06:19
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 11:30



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2619465 Test Start : 11/05/2018 @ 06:02
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:02
Location : 1st FL=Gym 1 BL Received: 11/12/2018 @ 11:14
Radon Level : 0.2 pCi/L Analyzed: 11/12/2018 @ 11:27
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2679156 Test Start : 11/05/2018 @ 06:03
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:13
Location : 1st FL=Rm 23 Received: 11/12/2018 @ 11:14
Radon Level : 3.1 pCi/L Analyzed: 11/12/2018 @ 12:42
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2679163 Test Start : 11/05/2018 @ 06:19
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:19
Location : 1st FL=Rm 1 Received: 11/12/2018 @ 11:14
Radon Level : 4.3 pCi/L Analyzed: 11/12/2018 @ 12:27
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2679165 Test Start : 11/05/2018 @ 06:03
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:11
Location : 1st FL=Rm 22 Received: 11/12/2018 @ 11:14
Radon Level : 3.4 pCi/L Analyzed: 11/12/2018 @ 14:08
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2679166 Test Start : 11/05/2018 @ 06:42
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:42
Location : 1st FL=Rm 6 Received: 11/12/2018 @ 11:14
Radon Level : 1.5 pCi/L Analyzed: 11/12/2018 @ 12:27
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2679170 Test Start : 11/05/2018 @ 06:08
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:14
Location : 1st FL=Rm 23 DP Received: 11/12/2018 @ 11:14
Radon Level : 2.2 pCi/L Analyzed: 11/12/2018 @ 13:52
Error for Measurement is: ± 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2679227 Test Start : 11/05/2018 @ 06:13
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:16
Location : 1st FL=Rm 25 Received: 11/12/2018 @ 11:14
Radon Level : 0.8 pCi/L Analyzed: 11/12/2018 @ 10:37
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2679228 Test Start : 11/05/2018 @ 06:07
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:12
Location : 1st FL=Gym 3 Received: 11/12/2018 @ 11:14
Radon Level : 0.5 pCi/L Analyzed: 11/12/2018 @ 11:30
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2679229 Test Start : 11/05/2018 @ 06:14
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:18
Location : 1st FL=Gym Stage DP Received: 11/12/2018 @ 11:14
Radon Level : 0.7 pCi/L Analyzed: 11/12/2018 @ 10:35
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2679230 Test Start : 11/05/2018 @ 06:14
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:14
Location : 1st FL=Rm 25 BL Received: 11/12/2018 @ 11:14
Radon Level : 0.1 pCi/L Analyzed: 11/12/2018 @ 14:28
Error for Measurement is: \pm 0.1 pCi/L

Canister ID# : 2679231 Test Start : 11/05/2018 @ 06:04
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:14
Location : 1st FL=Rm 17 BL Received: 11/12/2018 @ 11:14
Radon Level : 0.1 pCi/L Analyzed: 11/12/2018 @ 12:45
Error for Measurement is: \pm 0.1 pCi/L

Canister ID# : 2679235 Test Start : 11/05/2018 @ 05:35
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 05:35
Location : 1st FL=Staff Work Rm Received: 11/12/2018 @ 11:14
Radon Level : 0.8 pCi/L Analyzed: 11/12/2018 @ 10:38
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2679237 Test Start : 11/05/2018 @ 06:07
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:15
Location : 1st FL=Rm 16 Received: 11/12/2018 @ 11:14
Radon Level : 0.8 pCi/L Analyzed: 11/12/2018 @ 13:33
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2679238 Test Start : 11/05/2018 @ 05:37
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 05:37
Location : 1st FL=Staff Break Rm Received: 11/12/2018 @ 11:14
Radon Level : 0.4 pCi/L Analyzed: 11/12/2018 @ 12:29
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2679239 Test Start : 11/05/2018 @ 06:23
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:23
Location : 1st FL=Rm 27 Received: 11/12/2018 @ 11:14
Radon Level : 4.0 pCi/L Analyzed: 11/12/2018 @ 12:29
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2679245 Test Start : 11/05/2018 @ 05:57
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:08
Location : 1st FL=Sm Off. @ #20 Received: 11/12/2018 @ 11:14
Radon Level : 1.3 pCi/L Analyzed: 11/12/2018 @ 13:52
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2679246 Test Start : 11/05/2018 @ 06:13
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:19
Location : 1st FL=MC Comp Rm Received: 11/12/2018 @ 11:14
Radon Level : 0.7 pCi/L Analyzed: 11/12/2018 @ 12:45
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2679247 Test Start : 11/05/2018 @ 06:02
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:10
Location : 1st FL=Gym 1 Received: 11/12/2018 @ 11:14
Radon Level : 0.6 pCi/L Analyzed: 11/12/2018 @ 13:52
Error for Measurement is: ± 0.4 pCi/L



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2679251 Test Start : 11/05/2018 @ 06:23
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:28
Location : 1st FL=Rm 12 Received: 11/12/2018 @ 11:14
Radon Level : 3.5 pCi/L Analyzed: 11/12/2018 @ 10:35
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2679256 Test Start : 11/05/2018 @ 06:04
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:14
Location : 1st FL=Rm 17 Received: 11/12/2018 @ 11:14
Radon Level : 0.8 pCi/L Analyzed: 11/12/2018 @ 13:33
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2679265 Test Start : 11/05/2018 @ 06:03
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:10
Location : 1st FL=Rm 9 Received: 11/12/2018 @ 11:14
Radon Level : 1.3 pCi/L Analyzed: 11/12/2018 @ 10:37
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2679268 Test Start : 11/05/2018 @ 06:12
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:18
Location : 1st FL=Media Ctr 2 Received: 11/12/2018 @ 11:14
Radon Level : 0.7 pCi/L Analyzed: 11/12/2018 @ 14:28
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2679274 Test Start : 11/05/2018 @ 05:59
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:09
Location : 1st FL=Rm 21 Received: 11/12/2018 @ 11:14
Radon Level : 2.4 pCi/L Analyzed: 11/12/2018 @ 14:28
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2679277 Test Start : 11/05/2018 @ 06:23
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:23
Location : 1st FL=Rm 2 DP Received: 11/12/2018 @ 11:14
Radon Level : 5.0 pCi/L Analyzed: 11/12/2018 @ 13:52
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2679285 Test Start : 11/05/2018 @ 06:14
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:14
Location : 1st FL=Gym Stage Received: 11/12/2018 @ 11:14
Radon Level : 0.8 pCi/L Analyzed: 11/12/2018 @ 12:42
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2679288 Test Start : 11/05/2018 @ 06:30
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:31
Location : 1st FL=Rm 14 Received: 11/12/2018 @ 11:14
Radon Level : 3.1 pCi/L Analyzed: 11/12/2018 @ 14:08
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2679292 Test Start : 11/05/2018 @ 06:03
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:10
Location : 1st FL=Rm 9 DP Received: 11/12/2018 @ 11:14
Radon Level : 0.6 pCi/L Analyzed: 11/12/2018 @ 13:52
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2679296 Test Start : 11/05/2018 @ 06:04
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:11
Location : 1st FL=Gym 2 Received: 11/12/2018 @ 11:14
Radon Level : 0.6 pCi/L Analyzed: 11/12/2018 @ 13:31
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2680414 Test Start : 11/05/2018 @ 06:30
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:30
Location : 1st FL=Rm 4 Received: 11/12/2018 @ 11:14
Radon Level : 1.7 pCi/L Analyzed: 11/12/2018 @ 14:25
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2680415 Test Start : 11/05/2018 @ 06:20
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:23
Location : 1st FL=Rm 11 Received: 11/12/2018 @ 11:14
Radon Level : 1.2 pCi/L Analyzed: 11/12/2018 @ 13:52
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2680421 Test Start : 11/05/2018 @ 06:00
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:08
Location : 1st FL=Music Rm Received: 11/12/2018 @ 11:14
Radon Level : 1.4 pCi/L Analyzed: 11/12/2018 @ 12:45
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2680442 Test Start : 11/05/2018 @ 06:09
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:16
Location : 1st FL=Rm 15 Received: 11/12/2018 @ 11:14
Radon Level : 1.0 pCi/L Analyzed: 11/12/2018 @ 14:08
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2680451 Test Start : 11/05/2018 @ 06:22
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:22
Location : 1st FL=Rm 2 Received: 11/12/2018 @ 11:14
Radon Level : 5.9 pCi/L Analyzed: 11/12/2018 @ 14:28
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2680461 Test Start : 11/05/2018 @ 05:23
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 05:23
Location : 1st FL=Caf. BL Received: 11/12/2018 @ 11:14
Radon Level : 0.1 pCi/L Analyzed: 11/12/2018 @ 10:35
Error for Measurement is: ± 0.1 pCi/L

Canister ID# : 2680635 Test Start : 11/05/2018 @ 05:31
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 05:35
Location : 1st FL=Principal's Off. Received: 11/12/2018 @ 11:14
Radon Level : 1.5 pCi/L Analyzed: 11/12/2018 @ 12:26
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2680642 Test Start : 11/05/2018 @ 06:01
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:11
Location : 1st FL=Rm 19 Received: 11/12/2018 @ 11:14
Radon Level : 1.4 pCi/L Analyzed: 11/12/2018 @ 13:30
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2680657
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Main Office
Radon Level : 0.6 pCi/L
Error for Measurement is: ± 0.5 pCi/L
Test Start : 11/05/2018 @ 05:26
Test Stop : 11/07/2018 @ 05:33
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 12:27

Canister ID# : 2680685
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Rm 20
Radon Level : 0.7 pCi/L
Error for Measurement is: ± 0.4 pCi/L
Test Start : 11/05/2018 @ 05:59
Test Stop : 11/07/2018 @ 06:09
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 12:45

Canister ID# : 2680687
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Media Ctr 1
Radon Level : 1.2 pCi/L
Error for Measurement is: ± 0.4 pCi/L
Test Start : 11/05/2018 @ 06:11
Test Stop : 11/07/2018 @ 06:17
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 12:29

Canister ID# : 2680918
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Rm 10
Radon Level : 1.5 pCi/L
Error for Measurement is: ± 0.4 pCi/L
Test Start : 11/05/2018 @ 06:07
Test Stop : 11/07/2018 @ 06:12
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 14:10

Canister ID# : 2680923
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Media Ctr. Off.
Radon Level : 0.7 pCi/L
Error for Measurement is: ± 0.4 pCi/L
Test Start : 11/05/2018 @ 06:14
Test Stop : 11/07/2018 @ 06:20
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 13:52

Canister ID# : 2680926
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Rm 7
Radon Level : 1.2 pCi/L
Error for Measurement is: ± 0.5 pCi/L
Test Start : 11/05/2018 @ 06:33
Test Stop : 11/07/2018 @ 06:33
Received: 11/12/2018 @ 11:14
Analyzed: 11/12/2018 @ 10:35



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2680927 Test Start : 11/05/2018 @ 06:10
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:15
Location : 1st FL=Rm 24 Received: 11/12/2018 @ 11:14
Radon Level : 1.4 pCi/L Analyzed: 11/12/2018 @ 10:35
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2680931 Test Start : 11/05/2018 @ 06:28
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:30
Location : 1st FL=Rm 13 Received: 11/12/2018 @ 11:14
Radon Level : 3.4 pCi/L Analyzed: 11/12/2018 @ 11:30
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2680935 Test Start : 11/05/2018 @ 05:18
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 05:31
Location : 1st FL=Cafeteria #1 Received: 11/12/2018 @ 11:14
Radon Level : 0.8 pCi/L Analyzed: 11/12/2018 @ 13:50
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2680937 Test Start : 11/05/2018 @ 06:42
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:42
Location : 1st FL=Rm 8 BL Received: 11/12/2018 @ 11:14
Radon Level : 0.1 pCi/L Analyzed: 11/12/2018 @ 11:28
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2680947 Test Start : 11/05/2018 @ 06:25
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:25
Location : 1st FL=Rm 28 Received: 11/12/2018 @ 11:14
Radon Level : 4.0 pCi/L Analyzed: 11/12/2018 @ 12:45
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2681398 Test Start : 11/05/2018 @ 06:23
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:23
Location : 1st FL=Rm 27 BL Received: 11/12/2018 @ 11:14
Radon Level : 0.1 pCi/L Analyzed: 11/12/2018 @ 10:37
Error for Measurement is: ± 0.3 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

Canister ID# : 2681610 Test Start : 11/05/2018 @ 06:27
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:27
Location : 1st FL=Rm 29 Received: 11/12/2018 @ 11:14
Radon Level : 3.6 pCi/L Analyzed: 11/12/2018 @ 14:08
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2681617 Test Start : 11/05/2018 @ 05:18
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 05:31
Location : 1st FL=Caf. DP Received: 11/12/2018 @ 11:14
Radon Level : 1.3 pCi/L Analyzed: 11/12/2018 @ 14:28
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2681647 Test Start : 11/05/2018 @ 06:36
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:36
Location : 1st FL=Rm 8 Received: 11/12/2018 @ 11:14
Radon Level : 0.9 pCi/L Analyzed: 11/12/2018 @ 13:31
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2681663 Test Start : 11/05/2018 @ 06:03
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:12
Location : 1st FL=Rm 18 Received: 11/12/2018 @ 11:14
Radon Level : 1.0 pCi/L Analyzed: 11/12/2018 @ 10:38
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2681674 Test Start : 11/05/2018 @ 06:25
Canister Type : Charcoal Canister 3 inch Test Stop : 11/07/2018 @ 06:25
Location : 1st FL=Rm 28 DP Received: 11/12/2018 @ 11:14
Radon Level : 4.4 pCi/L Analyzed: 11/12/2018 @ 13:31
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 11/12/2018

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Griffin Creek E.S.
Test Location: 2430 Griffin Creek Road
Medford, OR 97501-

Individual Canister Results

The results indicate that at least one testing device registered at or above the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends mitigation if the average of two short-term tests taken in the lowest level of the building suitable for occupancy show radon levels that are equal to or greater than 4.0 pCi/L.

For information on how to reduce radon levels in your home, please review the EPA booklet: Consumer's Guide to Radon Reduction (www.epa.gov/radon/pdfs/consguid.pdf) and contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.



Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201