

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2533157 Test Start : 11/29/2017 @ 06:50
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:58
Location : 1st FL-Rm 23-Blank Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2533162 Test Start : 11/29/2017 @ 07:12
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:16
Location : 1st FL-Office W of Compt Rm Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2533181 Test Start : 11/29/2017 @ 07:05
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:10
Location : 1st FL-Media Office "NE" Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2533196 Test Start : 11/29/2017 @ 07:00
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:07
Location : 1st FL-Media Office Received: 12/08/2017 @ 11:22
Radon Level : 0.2 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2533202 Test Start : 11/29/2017 @ 06:50
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:58
Location : 1st FL-Rm 23 Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2533285 Test Start : 11/29/2017 @ 07:09
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:15
Location : 1st FL-Computer Rm Received: 12/08/2017 @ 11:22
Radon Level : 1.0 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2533365
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Media Work Rm
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 11/29/2017 @ 07:03
Test Stop : 12/01/2017 @ 07:08
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:25

Canister ID# : 2533389
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Media 2
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.7 pCi/L
Test Start : 11/29/2017 @ 06:58
Test Stop : 12/01/2017 @ 07:05
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:41

Canister ID# : 2533404
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 25B
Radon Level : 22.1 pCi/L
Error for Measurement is: \pm 0.8 pCi/L
Test Start : 12/02/2017 @ 08:22
Test Stop : 12/04/2017 @ 08:22
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:57

This is a quality control test known as a spike. This canister has never been on the school site.

Canister ID# : 2533449
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 25A
Radon Level : 22.7 pCi/L
Error for Measurement is: \pm 0.8 pCi/L
Test Start : 12/02/2017 @ 08:22
Test Stop : 12/04/2017 @ 08:22
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:08

This is a quality control test known as a spike. This canister has never been on the school site.

Canister ID# : 2533451
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Media 1
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/29/2017 @ 06:57
Test Stop : 12/01/2017 @ 07:05
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:25

Canister ID# : 2533462
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 24
Radon Level : 1.1 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/29/2017 @ 06:54
Test Stop : 12/01/2017 @ 07:00
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:08



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2569092 Test Start : 11/29/2017 @ 06:48
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:49
Location : 1st FL-Rm 10 Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2569102 Test Start : 11/29/2017 @ 06:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:03
Location : 1st FL-Principals Received: 12/08/2017 @ 11:22
Radon Level : 0.2 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2569115 Test Start : 11/29/2017 @ 06:50
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:57
Location : 1st FL-Break Rm Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2569123 Test Start : 11/30/2017 @ 05:27
Canister Type : Charcoal Canister 3 inch Test Stop : 12/02/2017 @ 14:02
Location : 1st FL-Rm 20(2) Received: 12/08/2017 @ 11:22
Radon Level : 0.2 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2569143 Test Start : 11/29/2017 @ 06:55
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:01
Location : 1st FL-Main Office Received: 12/08/2017 @ 11:22
Radon Level : 0.3 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2569178 Test Start : 11/29/2017 @ 06:56
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:02
Location : 1st FL-Office Conference Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2570465
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 7
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/29/2017 @ 06:55
Test Stop : 12/01/2017 @ 06:58
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:57

Canister ID# : 2570467
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 4
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/29/2017 @ 06:45
Test Stop : 12/01/2017 @ 06:45
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:57

Canister ID# : 2570477
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 8
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.7 pCi/L
Test Start : 11/29/2017 @ 06:58
Test Stop : 12/01/2017 @ 07:02
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:57

Canister ID# : 2570497
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 1
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.7 pCi/L
Test Start : 11/29/2017 @ 06:33
Test Stop : 12/01/2017 @ 06:35
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:57

Canister ID# : 2570740
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 5-Blank
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 11/29/2017 @ 06:49
Test Stop : 12/01/2017 @ 06:49
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:41

Canister ID# : 2570741
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Gym 3
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 11/29/2017 @ 07:15
Test Stop : 12/01/2017 @ 07:23
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:57



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2570745 Test Start : 11/29/2017 @ 06:48
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:06
Location : 1st FL-Music Rm-Blank Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:24
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2570746 Test Start : 11/29/2017 @ 06:53
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:18
Location : 1st FL- Stage Received: 12/08/2017 @ 11:22
Radon Level : 0.3 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2570748 Test Start : 11/29/2017 @ 07:02
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:04
Location : 1st FL-Rm 11 A Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2570752 Test Start : 11/29/2017 @ 07:01
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:15
Location : 1st FL-Custodial Office Received: 12/08/2017 @ 11:22
Radon Level : 0.8 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2570758 Test Start : 11/29/2017 @ 06:53
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:53
Location : 1st FL-Rm 19 Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:24
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2570767 Test Start : 11/29/2017 @ 06:38
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:38
Location : 1st FL-Rm 2 Received: 12/08/2017 @ 11:22
Radon Level : 0.3 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2570771 Test Start : 11/29/2017 @ 07:00
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:01
Location : 1st FL-Rm 11 B Received: 12/08/2017 @ 11:22
Radon Level : 0.6 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2570773 Test Start : 11/29/2017 @ 06:56
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:23
Location : 1st FL-Gym 1 Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:57
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2570774 Test Start : 11/29/2017 @ 06:52
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:54
Location : 1st FL-Rm 6 Received: 12/08/2017 @ 11:22
Radon Level : 0.3 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2570777 Test Start : 11/29/2017 @ 06:45
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:45
Location : 1st FL-Rm 22 Received: 12/08/2017 @ 11:22
Radon Level : 0.9 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2570784 Test Start : 11/29/2017 @ 06:52
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:58
Location : 1st FL-Work Rm Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:57
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2570787 Test Start : 11/29/2017 @ 06:54
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:00
Location : 1st FL-Health Rm Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2570791 Test Start : 11/29/2017 @ 07:13
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:13
Location : 1st FL-Rm 14 Received: 12/08/2017 @ 11:22
Radon Level : 0.5 pCi/L Analyzed: 12/08/2017 @ 14:57
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2570795 Test Start : 11/29/2017 @ 06:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:59
Location : 1st FL-Rm 11 C Received: 12/08/2017 @ 11:22
Radon Level : 0.2 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2570798 Test Start : 11/29/2017 @ 06:42
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:43
Location : 1st FL-Rm 9 Received: 12/08/2017 @ 11:22
Radon Level : 0.7 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2570799 Test Start : 11/29/2017 @ 07:10
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:10
Location : 1st FL-Rm 15 Received: 12/08/2017 @ 11:22
Radon Level : 0.3 pCi/L Analyzed: 12/08/2017 @ 14:57
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2570803 Test Start : 11/29/2017 @ 07:12
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:25
Location : 1st FL-Gym 2 Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:57
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2570805 Test Start : 11/29/2017 @ 06:55
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:55
Location : 1st FL-Rm 18 Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: \pm 0.7 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2570807
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 3
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 11/29/2017 @ 06:40
Test Stop : 12/01/2017 @ 06:40
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:57

Canister ID# : 2570812
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 16
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/29/2017 @ 07:04
Test Stop : 12/01/2017 @ 07:04
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:08

Canister ID# : 2570813
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 21
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 11/29/2017 @ 06:09
Test Stop : 12/01/2017 @ 06:49
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:25

Canister ID# : 2570820
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 9
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/29/2017 @ 06:42
Test Stop : 12/01/2017 @ 06:43
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:25

Canister ID# : 2570822
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Main Office
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.7 pCi/L
Test Start : 11/29/2017 @ 06:55
Test Stop : 12/01/2017 @ 07:01
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:08

Canister ID# : 2570824
Canister Type : Charcoal Canister 3 inch
Location : 1st FL-Rm 4
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 11/29/2017 @ 06:45
Test Stop : 12/01/2017 @ 06:45
Received: 12/08/2017 @ 11:22
Analyzed: 12/08/2017 @ 14:41



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2570825 Test Start : 11/29/2017 @ 06:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:58
Location : 1st FL-Rm 17 Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:57
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2570828 Test Start : 11/29/2017 @ 07:05
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:08
Location : 1st FL-Rm 12 Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2570829 Test Start : 11/29/2017 @ 06:51
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:51
Location : 1st FL-Rm 20 Received: 12/08/2017 @ 11:22
Radon Level : 0.8 pCi/L Analyzed: 12/08/2017 @ 14:25
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2570831 Test Start : 11/29/2017 @ 06:50
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:15
Location : 1st FL- Office Music Rm Received: 12/08/2017 @ 11:22
Radon Level : 0.6 pCi/L Analyzed: 12/08/2017 @ 14:24
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2570834 Test Start : 11/29/2017 @ 06:53
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:54
Location : 1st FL-Rm 11 E Received: 12/08/2017 @ 11:22
Radon Level : 0.7 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2570836 Test Start : 11/29/2017 @ 06:49
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:50
Location : 1st FL-Rm 5 Received: 12/08/2017 @ 11:22
Radon Level : 0.8 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: \pm 0.8 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2570844 Test Start : 11/29/2017 @ 06:54
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:00
Location : 1st FL-Rm 24 Received: 12/08/2017 @ 11:22
Radon Level : 0.3 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2570846 Test Start : 11/29/2017 @ 06:46
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:06
Location : 1st FL-Music Rm Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:24
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2570849 Test Start : 11/29/2017 @ 07:07
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:19
Location : 1st FL-Cafe 2 Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2570855 Test Start : 11/29/2017 @ 07:10
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:12
Location : 1st FL-Rm 13 Received: 12/08/2017 @ 11:22
Radon Level : 0.7 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2570856 Test Start : 11/29/2017 @ 07:10
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 07:10
Location : 1st FL-Rm 15 Received: 12/08/2017 @ 11:22
Radon Level : 0.1 pCi/L Analyzed: 12/08/2017 @ 14:08
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2570857 Test Start : 11/29/2017 @ 06:56
Canister Type : Charcoal Canister 3 inch Test Stop : 12/01/2017 @ 06:57
Location : 1st FL-Rm 11 D Received: 12/08/2017 @ 11:22
Radon Level : 0.4 pCi/L Analyzed: 12/08/2017 @ 14:41
Error for Measurement is: ± 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2017

Mr. Bryan Hogan/Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abraham Lincoln Elementary
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# :	2570872	Test Start :	11/29/2017 @ 07:05
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/01/2017 @ 07:20
Location :	1st FL-Cafe 1	Received:	12/08/2017 @ 11:22
Radon Level :	0.1 pCi/L	Analyzed:	12/08/2017 @ 14:41
Error for Measurement is: ±	0.4 pCi/L		

The results indicate that at least one testing device registered at or above the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends mitigation if the average of two short-term tests taken in the lowest level of the building suitable for occupancy show radon levels that are equal to or greater than 4.0 pCi/L.

For information on how to reduce radon levels in your home, please review the EPA booklet: Consumer's Guide to Radon Reduction (www.epa.gov/radon/pdfs/consguid.pdf) and contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201