

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

Individual Canister Results

Canister ID# : 2505381                      Test Start : 11/06/2017 @ 07:40  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:41  
Location : 1st FL-Comp Rm                      Received: 11/16/2017 @ 10:42  
Radon Level : 1.8 pCi/L                      Analyzed: 11/16/2017 @ 15:07  
Error for Measurement is:  $\pm$  1.0 pCi/L

Canister ID# : 2529057                      Test Start : 11/06/2017 @ 07:30  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:30  
Location : 1st FL- Rm 2                      Received: 11/16/2017 @ 10:42  
Radon Level : 1.4 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is:  $\pm$  0.8 pCi/L

Canister ID# : 2533156                      Test Start : 11/06/2017 @ 07:14  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:18  
Location : 1st FL-Rm 10                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.6 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is:  $\pm$  0.8 pCi/L

Canister ID# : 2533160                      Test Start : 11/06/2017 @ 07:34  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:35  
Location : 1st FL-Media Center                      Received: 11/16/2017 @ 10:42  
Radon Level : 2.0 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is:  $\pm$  0.8 pCi/L

Canister ID# : 2533161                      Test Start : 11/06/2017 @ 07:30  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:30  
Location : 1st FL- Rm 2                      Received: 11/16/2017 @ 10:42  
Radon Level : 1.8 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is:  $\pm$  0.8 pCi/L

Canister ID# : 2533164                      Test Start : 11/06/2017 @ 07:23  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:26  
Location : 1st FL- Gym 2                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.8 pCi/L                      Analyzed: 11/16/2017 @ 16:22  
Error for Measurement is:  $\pm$  0.7 pCi/L



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

Individual Canister Results

Canister ID# : 2533175  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL-Media Rm 105  
Radon Level : 3.2 pCi/L  
Error for Measurement is:  $\pm$  0.9 pCi/L  
Test Start : 11/06/2017 @ 07:38  
Test Stop : 11/08/2017 @ 07:39  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:22

Canister ID# : 2533189  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL-Blg A-Rm 3  
Radon Level : 1.1 pCi/L  
Error for Measurement is:  $\pm$  0.8 pCi/L  
Test Start : 11/06/2017 @ 07:17  
Test Stop : 11/08/2017 @ 07:22  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 15:50

Canister ID# : 2533193  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL-Media 1  
Radon Level : 1.8 pCi/L  
Error for Measurement is:  $\pm$  1.0 pCi/L  
Test Start : 11/06/2017 @ 07:30  
Test Stop : 11/08/2017 @ 07:32  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:22

Canister ID# : 2533199  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- Gym-Blank  
Radon Level : 0.1 pCi/L  
Error for Measurement is:  $\pm$  0.5 pCi/L  
Test Start : 11/06/2017 @ 07:24  
Test Stop : 11/08/2017 @ 07:27  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 15:50

Canister ID# : 2533200  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- Cafeteria  
Radon Level : 0.3 pCi/L  
Error for Measurement is:  $\pm$  1.0 pCi/L  
Test Start : 11/06/2017 @ 07:15  
Test Stop : 11/08/2017 @ 07:17  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:59

Canister ID# : 2533205  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- Rm 4  
Radon Level : 2.1 pCi/L  
Error for Measurement is:  $\pm$  0.8 pCi/L  
Test Start : 11/06/2017 @ 07:19  
Test Stop : 11/08/2017 @ 07:26  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 15:07



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

### Individual Canister Results

Canister ID# : 2533216  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL-Rm 9  
Radon Level : 1.1 pCi/L  
Error for Measurement is:  $\pm$  0.8 pCi/L  
Test Start : 11/06/2017 @ 07:17  
Test Stop : 11/08/2017 @ 07:20  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 15:07

Canister ID# : 2533217  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- Rm 3-Blank  
Radon Level : 0.1 pCi/L  
Error for Measurement is:  $\pm$  0.1 pCi/L  
Test Start : 11/06/2017 @ 07:23  
Test Stop : 11/08/2017 @ 07:28  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:07

Canister ID# : 2533218  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- Rm 3  
Radon Level : 1.0 pCi/L  
Error for Measurement is:  $\pm$  0.8 pCi/L  
Test Start : 11/06/2017 @ 07:24  
Test Stop : 11/08/2017 @ 07:29  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:07

Canister ID# : 2533220  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- Stage  
Radon Level : 1.1 pCi/L  
Error for Measurement is:  $\pm$  0.8 pCi/L  
Test Start : 11/06/2017 @ 07:25  
Test Stop : 11/08/2017 @ 07:29  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:07

Canister ID# : 2533221  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- 15  
Radon Level : 18.0 pCi/L  
Error for Measurement is:  $\pm$  1.2 pCi/L  
Test Start : 11/06/2017 @ 07:31  
Test Stop : 11/08/2017 @ 07:34  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:22

This is a quality control test known as a spike. This canister has never been on the school site.

Canister ID# : 2533223  
Canister Type : Charcoal Canister 3 inch  
Location : 1st FL- Health Rm  
Radon Level : 0.4 pCi/L  
Error for Measurement is:  $\pm$  0.8 pCi/L  
Test Start : 11/06/2017 @ 07:15  
Test Stop : 11/08/2017 @ 07:15  
Received: 11/16/2017 @ 10:42  
Analyzed: 11/16/2017 @ 16:07



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

Individual Canister Results

Canister ID# : 2533230                      Test Start : 11/06/2017 @ 07:33  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:34  
Location : 1st FL-Media 2                      Received: 11/16/2017 @ 10:42  
Radon Level : 1.9 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is: ± 0.8 pCi/L

Canister ID# : 2533247                      Test Start : 11/06/2017 @ 07:18  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:18  
Location : 1st FL-Principals                      Received: 11/16/2017 @ 10:42  
Radon Level : 1.6 pCi/L                      Analyzed: 11/16/2017 @ 16:22  
Error for Measurement is: ± 0.8 pCi/L

Canister ID# : 2533248                      Test Start : 11/06/2017 @ 07:05  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:05  
Location : 1st FL- Main Office                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.4 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2533249                      Test Start : 11/06/2017 @ 07:09  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:17  
Location : 1st FL- Rm 8-Blank                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.1 pCi/L                      Analyzed: 11/16/2017 @ 15:07  
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2533253                      Test Start : 11/06/2017 @ 07:28  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:30  
Location : 1st FL- Cafeteria 2                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.5 pCi/L                      Analyzed: 11/16/2017 @ 16:42  
Error for Measurement is: ± 0.9 pCi/L

Canister ID# : 2533257                      Test Start : 11/06/2017 @ 07:21  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:24  
Location : 1st FL- Gym 1                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.5 pCi/L                      Analyzed: 11/16/2017 @ 16:22  
Error for Measurement is: ± 0.9 pCi/L



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

Individual Canister Results

Canister ID# : 2533259                      Test Start : 11/06/2017 @ 07:14  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:17  
Location : 1st FL-Rm 10- Blank              Received: 11/16/2017 @ 10:42  
Radon Level : 0.1 pCi/L                      Analyzed: 11/16/2017 @ 16:59  
Error for Measurement is:  $\pm$  0.2 pCi/L

Canister ID# : 2533265                      Test Start : 11/06/2017 @ 07:42  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:43  
Location : 1st FL- Rm 6                      Received: 11/16/2017 @ 10:42  
Radon Level : 2.2 pCi/L                      Analyzed: 11/16/2017 @ 16:42  
Error for Measurement is:  $\pm$  1.0 pCi/L

Canister ID# : 2533268                      Test Start : 11/06/2017 @ 07:25  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:26  
Location : 1st FL-Staff Work Rm              Received: 11/16/2017 @ 10:42  
Radon Level : 0.1 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is:  $\pm$  0.5 pCi/L

Canister ID# : 2533270                      Test Start : 11/06/2017 @ 07:17  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:20  
Location : 1st FL-Rm 9                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.1 pCi/L                      Analyzed: 11/16/2017 @ 15:06  
Error for Measurement is:  $\pm$  0.7 pCi/L

Canister ID# : 2533403                      Test Start : 11/06/2017 @ 07:15  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:23  
Location : 1st FL- Rm 7                      Received: 11/16/2017 @ 10:42  
Radon Level : 2.2 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is:  $\pm$  0.8 pCi/L

Canister ID# : 2570068                      Test Start : 11/06/2017 @ 07:25  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:26  
Location : 1st FL-Staff Work Rm              Received: 11/16/2017 @ 10:42  
Radon Level : 0.4 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is:  $\pm$  0.6 pCi/L



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

Individual Canister Results

Canister ID# : 2570069                      Test Start : 11/06/2017 @ 07:13  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:17  
Location : 2nd FL- Staff Break              Received: 11/16/2017 @ 10:42  
Radon Level : 0.3 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is:  $\pm$  0.7 pCi/L

Canister ID# : 2570070                      Test Start : 11/06/2017 @ 07:16  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:21  
Location : 1st FL-Blg A-Rm 2-Blank          Received: 11/16/2017 @ 10:42  
Radon Level : 0.1 pCi/L                      Analyzed: 11/16/2017 @ 16:22  
Error for Measurement is:  $\pm$  0.4 pCi/L

Canister ID# : 2570076                      Test Start : 11/06/2017 @ 07:05  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:10  
Location : 1st FL-Rm 13                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.9 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is:  $\pm$  0.7 pCi/L

Canister ID# : 2570081                      Test Start : 11/06/2017 @ 07:21  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:24  
Location : 1st FL-Custodial Office          Received: 11/16/2017 @ 10:42  
Radon Level : 3.3 pCi/L                      Analyzed: 11/16/2017 @ 16:22  
Error for Measurement is:  $\pm$  0.8 pCi/L

Canister ID# : 2570082                      Test Start : 11/06/2017 @ 07:16  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:21  
Location : 1st FL-Blg A-Rm 2                Received: 11/16/2017 @ 10:42  
Radon Level : 1.6 pCi/L                      Analyzed: 11/16/2017 @ 16:22  
Error for Measurement is:  $\pm$  0.8 pCi/L

Canister ID# : 2570084                      Test Start : 11/06/2017 @ 07:24  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:26  
Location : 1st FL- Rm 14-Blank              Received: 11/16/2017 @ 10:42  
Radon Level : 0.4 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is:  $\pm$  0.7 pCi/L



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

Individual Canister Results

Canister ID# : 2570094                      Test Start : 11/06/2017 @ 07:13  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:17  
Location : 2nd FL- Staff Break              Received: 11/16/2017 @ 10:42  
Radon Level : 1.1 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2570101                      Test Start : 11/06/2017 @ 07:24  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:27  
Location : 1st FL- Rm 14                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.1 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2570109                      Test Start : 11/06/2017 @ 07:11  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:15  
Location : 1st FL-Rm 11                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.4 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2570132                      Test Start : 11/06/2017 @ 07:06  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:11  
Location : 1st FL-Rm 12                      Received: 11/16/2017 @ 10:42  
Radon Level : 0.5 pCi/L                      Analyzed: 11/16/2017 @ 16:07  
Error for Measurement is: ± 0.8 pCi/L

Canister ID# : 2570455                      Test Start : 11/06/2017 @ 07:05  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:06  
Location : 1st FL- Main Office- Blank      Received: 11/16/2017 @ 10:42  
Radon Level : 0.1 pCi/L                      Analyzed: 11/16/2017 @ 16:59  
Error for Measurement is: ± 0.1 pCi/L

Canister ID# : 2570463                      Test Start : 11/06/2017 @ 07:35  
Canister Type : Charcoal Canister 3 inch      Test Stop : 11/08/2017 @ 07:37  
Location : 1st FL-Media Workrm              Received: 11/16/2017 @ 10:42  
Radon Level : 1.8 pCi/L                      Analyzed: 11/16/2017 @ 15:50  
Error for Measurement is: ± 0.8 pCi/L



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201

Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-

Individual Canister Results

Canister ID# :	2570470	Test Start :	11/06/2017 @ 07:24
Canister Type :	Charcoal Canister 3 inch	Test Stop :	11/08/2017 @ 07:27
Location :	1st FL- Rm 14	Received:	11/16/2017 @ 10:42
Radon Level :	0.2 pCi/L	Analyzed:	11/16/2017 @ 15:50
Error for Measurement is: ±	0.9 pCi/L		

Canister ID# :	2588958	Test Start :	11/06/2017 @ 07:06
Canister Type :	Charcoal Canister 3 inch	Test Stop :	11/08/2017 @ 07:11
Location :	1st FL-Rm 12	Received:	11/16/2017 @ 10:42
Radon Level :	1.1 pCi/L	Analyzed:	11/16/2017 @ 16:42
Error for Measurement is: ±	0.9 pCi/L		

Canister ID# :	2589047	Test Start :	11/06/2017 @ 07:10
Canister Type :	Charcoal Canister 3 inch	Test Stop :	11/08/2017 @ 07:18
Location :	1st FL- Rm 8	Received:	11/16/2017 @ 10:42
Radon Level :	1.8 pCi/L	Analyzed:	11/16/2017 @ 16:42
Error for Measurement is: ±	0.8 pCi/L		

The results indicate that at least one testing device registered at or above the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends mitigation if the average of two short-term tests taken in the lowest level of the building suitable for occupancy show radon levels that are equal to or greater than 4.0 pCi/L.

For information on how to reduce radon levels in your home, please review the EPA booklet: Consumer's Guide to Radon Reduction ([www.epa.gov/radon/pdfs/consguid.pdf](http://www.epa.gov/radon/pdfs/consguid.pdf)) and contact your state health department. The EPA maintains a radon information website, including copies of its publications, at [www.epa.gov/iaq/radon](http://www.epa.gov/iaq/radon).

**For New Jersey clients:** Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

**For New York clients:** If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201



Site Radon Inspection Report

Date : 11/16/2017

Mr. Bryan Hogan/Ron Havnear  
MEDFORD SCHOOL DISTRICT  
815 South Oakdale Avenue  
Medford, OR 97501-

Client: Medford School District-549C  
Test Location: 156 Upper Applegate Road  
Jacksonville, OR 97530-  
Individual Canister Results

---

**PLEDGE OF ASSURED QUALITY**

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.



*Andreas C. George*

Andreas C. George  
Radon Measurement Specialist  
NJ MES 11089

*Dante Galan*

Dante Galan  
Laboratory Director

NRSB ARL0001  
NYS ELAP ID: 10806  
PADEP ID: 0346  
NJDEP ID: NY933  
NJ MEB 90036  
FL DOH RB1609  
IL RNL2000201